

Introduction

This is WolfPack 4K 60 Hz 16x16 HDMI Matrix Switch with HDR w/16 HDMI input ports w/16* 3.5mm audio in and 16 HDMI output ports with 16* 3.5mm audio outs, the resolution can up to 4K60Hz and all ports are HDCP compliant. With the friendly user control methods: IR remote control, 2-key push front buttons with background blue light, WEB GUI, TCP/IP, RS232,UDP and the iOS/Android APP control, supports EDID management by the DIP switches, this matrix switcher can work with the Blu-Ray Players, Set-Top boxes, Home Theater, and game consoles etc HDMI input sources to route to the HDMI displays, it has been widely used in different audio visual applications.

Features

- > 16 HDMI inputs with 16 audio in and 16 HDMI outputs with 16 audio outs
- Supports HDMI2.0, HDCP compliant
- The resolution can up to 4K@60Hz
- Deep Color support 48/36/30/24-bit
- Supports LPCM 7.1CH, Dolby Digital and DTS-HD Master Audio
- Supports EDID management by DIP switch
- Supports RS-232, UPD(4000) and TCP/IP(5000) Control protocols
- Supports 2-press push buttons control with blue lights
- Supports WEB GUI, APP, RS232, push-button, IR remote controls

Specification

Description	WolfPack 4K 60 Hz 16x16 HDMI Matrix Switch with HDR				
Input	16*HDMI, 16*3.5mm audio, 2*RS232, 2*LAN				
Input	16*HDMI, 8*3.5mm audio				

HDTVFIX1616-HDR WolfPack 4K 60 Hz 16x16 HDMI Matrix Switch with HDR

Control ports	RS-232, UPD(4000) and TCP/IP(5000) Control protocols				
Resolution	480i, 576i, 480p, 576p, 720p, 1080i, 1080p@24/30/50/60Hz, 4K@30Hz, 4K@60Hz				
Color Space	Support RGB444, YUV444, YUV422, x.v.C standard color extension				
Control	iOS/Android Apps, WEB GUI, RS232 & Front buttons with background light				
Power	AC: 100V—240V 50/60Hz				
Consumption	20W				
Dimension	3U, 482*280*133(mm)				
Weight	9kg				
Work Temperature	0°C ~40°C				
Storage Temperature	-20°C ~55°C				


DIP switch for inputs:

EDID management				Audio		
D1	D2	D3	Function	D4	Function	
1	1	1	4k60	1	3.5MM	
1	0	0	1080P2.1	0	HDMI	
1	0	1	HDMI-1200		1.7.7.4	
0	1	1	1440*900		1234	
0	0	1	DVI-1080		ò	
0	1	0	DVI-1200		1 2 3 4 ONI DIP	
1	1	0	4k2.1			
0	0	0	External EDID			

DIP switch for outputs:

Resolution Scaling				No functions	
D1	D2	Function	D3	D4	
0	0	Resolution bypass			
0	1	Force the 4K30/50/60 resolution to 1080P30/50/60	No functions		
1	0	Force 4K50/60 420 resolution to 4K50/60 444			
1	1	Resolution bypass			

Connection diagram



Matrix Size Drawing(484*133*280)mm(L*H*D)

